Page 1/10

Reviewed on 04/09/2019



Printing date 04/09/2019

### 1 Identification

- · Product identifier
- · Trade name: SOILAX AC
- · Article number: TB-8
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BORAID PRODUCTS 835 NORTH CONGRESS AVE. EVANSVILLE, IN 47715 (812) 477-1542
- · Information department: Product safety department · Emergency telephone number: CHEMTREC (800) 424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning · Hazard statements Causes skin and eye irritation. Precautionary statements Wash thoroughly after handling. Wear protective gloves. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention. (Contd. on page 2)

US

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AC

(Contd. of page 1)

Proprietary%

Proprietray%

Proprietary%

Classification system:
 NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \text{Health} = 1\\ \text{Fire} = 0\\ \text{Reactivity} = 0 \end{array}$ 

· HMIS-ratings (scale 0 - 4)

- HEALTH\*1Health = \*1FIRE0Fire = 0REACTIVITY0Reactivity = 0
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

107-41-5 2-methylpentane-2,4-diol
107-41-512-methvibentane-2.4-diol

111-27-3 hexan-1-ol

64-17-5 ethanol

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of <u>1910.1200 of 29 CFR 1910.1200 Trade Secrets</u>.

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, seek medical advice.

#### · After eye contact:

Rinse opened eyes for at least 15 minutes under running water. If easy to do so, remove contact lenses if worn.

If eye irritation persists, see medical advice.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

115

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AC

(Contd. of page 2)

## 5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture Sulfur compounds produced if product is burned.
- · Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Spill may be slippery

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### Protective Action Criteria for Chemicals

PAC-1:		
107-41-5	2-methylpentane-2,4-diol	2.3 ppm
111-27-3	hexan-1-ol	10 ppm
64-17-5	ethanol	1,800 ppn
PAC-2:		
107-41-5	2-methylpentane-2,4-diol	25 ppm
111-27-3	hexan-1-ol	110 ppm
64-17-5	ethanol	3300* ppn
PAC-3:		
107-41-5	2-methylpentane-2,4-diol	150 ppm
111-27-3	hexan-1-ol	580 ppm
64-17-5	ethanol	15000* ppn

## 7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AC

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Comp	omponents with limit values that require monitoring at the workplace:		
107-41	107-41-5 2-methylpentane-2,4-diol		
REL	Ceiling limit value: 125 mg/m³, 25 ppm		
TLV	Short-term value: 50* 10** ppm		
	Long-term value: 25* ppm		
	*vapor **inh. fraction, aerosol only		
111-27	1-27-3 hexan-1-ol		
WEEL	EEL Long-term value: 40 ppm		
	eye irritation		
64-17-	17-5 ethanol		
PEL	Long-term value: 1900 mg/m³, 1000 ppm		
REL	Long-term value: 1900 mg/m³, 1000 ppm		
TLV	Short-term value: 1880 mg/m³, 1000 ppm		
· Additi	Additional information: The lists that were valid during the creation were used as basis.		

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

<sup>-</sup>us

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/09/2019

#### Trade name: SOILAX AC

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical properties		
Information on basic physical and chemical properties General Information		
Form: Color:	Liquid Colorless	
· Odor:	Like alcohol	
· Odor threshold:	Not determined.	
· pH-value:	7.5 +/- 0.5 as made	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	260 °C (500 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0 Vol %	
Upper:	0 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density (Specific Gravity) at 20 °C (68 °F,		
<sup>.</sup> Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
		(Contd. on page

Reviewed on 04/09/2019

Printing date 04/09/2019

Reviewed on 04/09/2019

#### Trade name: SOILAX AC

		(Contd. of page
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	Proprietary %	
Water:	Proprietary %	
VOC content:	9.50 %	
	96.0 g/l / 0.80 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 9,092 mg/kg (rat)

 Dermal
 LD50
 62,000 mg/kg (rabbit)

107-41-5 2-methylpentane-2,4-d	ol
--------------------------------	----

ſ	Oral	LD50	3,700 mg/kg (rat)	
	Dermal	LD50	8,560 mg/kg (rabbit)	
	111-27-3 hexan-1-ol			
	Oral	LD50	720 mg/kg (rat)	
	Dermal	LD50	3,100 mg/kg (rabbit)	
64-17-5 ethanol				
	Oral	LD50	7,060 mg/kg (rat)	
	Inhalative	LC50/4 h	20,000 mg/l (rat)	
	Primary irritant effect:			

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

(Contd. of page 6)

1

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AC

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	not regulated	
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name	not regulated	
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)	not regulated	

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/09/2019

Reviewed on 04/09/2019

#### Trade name: SOILAX AC

DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
107-41-5 2-methylpentane-2,4-diol	ACTIVE
111-27-3 hexan-1-ol	ACTIVE
64-17-5 ethanol	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A3

1

(Contd. on page 9)

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AC

(Contd. of page 8)

#### • NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

· Hazard statements

Causes skin and eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Department issuing SDS: Environment protection department.

· Contact: -

· Date of preparation / last revision 04/09/2019 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

NON LITTIL VAIUE

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AC

(Contd. of page 9)

US

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B • \* **Data compared to the previous version altered.**