Page 1/9

Reviewed on 04/09/2019



1 Identification

- · Product identifier
- · Trade name: SOILAX AT
- · Article number: TB-5A
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BORAID PRODUCTS 835 NORTH CONGRESS AVE. EVANSVILLE, IN 47715 (812) 477-1542
- Information department: Product safety department • Emergency telephone number: CHEMTREC (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Warning
Hazard statements

Causes skin and eye irritation.

Precautionary statements

Wash thoroughly after handling.
Wear protective gloves.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.

∈∠) —us·

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

(Contd. of page 1)

Classification system:
NFPA ratings (scale 0 - 4)
Health = 1
Fire = 0

Fire = 0 Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

2		
88917-22-0	Dipropylene glycol monomethyl ether acetate	Proprietary%
56-81-5	glycerol	Proprietary%

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of <u>1910.1200 of 29 CFR 1910.1200 Trade Secrets</u>.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eyes for at least 15 minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation persists, see medical advice.

· After swallowing: If symptoms persist consult doctor.

Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

119

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

• Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Spill may be slippery

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

 · PAC-1:
 56-81-5 glycerol
 45 mg/m³

 · PAC-2:
 56-81-5 glycerol
 180 mg/m³

 · PAC-3:
 56-81-5 glycerol
 1,100 mg/m³

7 Handling and storage

- · Handling:
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

(Contd. of page 3)

· Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure *limit*.

At this time, the remaining constituent has no known exposure limits.

56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • **Eye protection:**



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 04/09/2019

Trade name: SOILAX AT

Reviewed on 04/09/2019

(Contd. of page 4)

General InformationAppearance:LiquidForm:LiquidColor:ColorlessOdor threshold:Not determined.pH-value:7.5 +/-0.5 as madeChange in conditionUndetermined.Melting point/Boiling range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:400 °C (752 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity) at 20 °C (68 °F):1.02 g/cm³ (8.5119 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Dynamic:Not determined.Dynamic:Not determined.Kinematic:Not determined.	Information on basic physical and chem	ical properties	
Color: Colorless Ether-like Odor Ether-like Odor Not determined. pH-value: 7.5 +/-0.5 as made Change in condition Meiting point/Boiling range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flash point: Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: <td< th=""><th></th><th></th><th></th></td<>			
Color: Colorless Ether-like Odor Ether-like Odor Not determined. PH-value: 7.5 +/-0.5 as made Change in condition Metiting point/Moliting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flash point: Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Fully miscible. Partition coefficient (n-octanol/wate			
Odor: Ether-like Odor threshold: Not determined. PH-value: 7.5 +/-0.5 as made Change in condition Melting point/Melting range: Undetermined. Boiling point/Melting range: Undetermined. Flash point: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.2 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): Not determined. Vapor pressure at 20 °C (68 °F): 1.2 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor onesity: Fully miscible. Proprietary % Not	-		
Odor threshold: Not determined. pH-value: 7.5 +/-0.5 as made Charge in condition Melting point/Belting range: Undetermined. Boiling point/Belting range: Undetermined. Flash point: Not applicable. * Flash point: Not applicable. * Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Proprietary (Socific Gravity) at 20 °C (68 °F): Not determined. Solubi			
pH-value: 7.5 +/-0.5 as made Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal)) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Solvent content: Not determined. Organic solvents: Proprietary % <tr< th=""><th></th><th></th><th></th></tr<>			
Change in condition Undetermined. Melting point/Boiling range: Undetermined. Flash point: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Solvent content: Oroganic solvents: Organic solvents: Proprietary % Vot content: 0.00 % Organic solvents:			
Meiting point/Meiting range: Undetermined. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.0 2 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Not determined. Vater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Oynamic: Not determined. Viscosity: Not determined. Organic solvents: Proprietary % Vater: Proprietary % Vater: Proprietary % Vater:	•	1:5 +7-0.5 as made	
Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): Not determined. Evaporation rate Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Viscosity: Proprietary % Organic solvents: Proprietary % Water: Proprietary % VoC content: 0.00 % Old g/l /		Undetermined	
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 102 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Viscosity: Dynamic: Organic solvents: Proprietary % Water: Propri			
Flammability (solid, gaseous): Not applicable. Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Proprietary % Organic solvents: Proprietary % Water: Proprietary % VoC content: 0.00 % 0.00 % 0.0 g/l / 0.00 lb/gal			
Ignition temperature: 400 °C (752 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Viscosity: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Proprietary % Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	•		
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Viscosity: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Solvent content: Not determined. Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal			
Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Mot determined. Not determined. Viscosity: Not determined. Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal			
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Solvent content: Organic solvents: Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.00 %/ 0.0 g// 0.00 lb/gal			
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Yater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Viscosity: Not determined. Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.00 % 0.00 lb/gal	Auto igniting:	Product is not selfigniting.	
Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:Proprietary % Proprietary % 0.00 % 0.0 g/l / 0.00 lb/gal			
Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density in / Miscibility with Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Viscosity: Not determined. Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal			
Density (Specific Gravity) at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Not determined. Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal	Upper:	Not determined.	
Relative density Not determined. Vapor density Not determined. Vaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Vater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.00 % 0.00 lb/gal	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Vater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.00 %/ 0.0 g/l / 0.00 lb/gal			
Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: Proprietary % Proprietary % Water: VOC content: 0.00 % 0.00 %			
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Vater: Proprietary % Water: 0.00 % 0.00 % 0.00 lb/gal			
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Proprietary % Organic solvents: Proprietary % Water: On the solvent is an experiment of the solvent of the solvent is an experiment of the solvent is an experiment of the solvent of the so	Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: Organic solvents: Proprietary % Water: 0.00 % 0.00 % 0.00 lb/gal			
· Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. · Solvent content: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	Water:	Fully miscible.	
Dynamic: Kinematic: Not determined. Solvent content: Not determined. Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	Partition coefficient (n-octanol/water):	Not determined.	
Kinematic: Not determined. Solvent content: Proprietary % Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal	· Viscosity:		
Solvent content: Organic solvents: Proprietary % Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal			
Organic solvents:Proprietary %Water:Proprietary %VOC content:0.00 %0.0 g/l / 0.00 lb/gal	Kinematic:	Not determined.	
Water: Proprietary % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal			
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal			
0.0 g/l / 0.00 lb/gal			
	VOC content:		
Solids content: 0.0 %			
	Solids content:	0.0 %	

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

56-81-5 glycerol

Oral LD50 12,600 mg/kg (rat)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: *Irritant*

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

(Contd. on page 7)

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

(Contd. of page 6)

· Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number · DOT, ADN, IMDG, IATA not regulated · UN proper shipping name DOT, ADN, IMDG, IATA not regulated · Transport hazard class(es) · DOT, ADN, IMDG, IATA · Class not regulated Packing group · DOT, IMDG, IATA not regulated · Environmental hazards: Not applicable. Special precautions for user Not applicable. · Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code • UN "Model Regulation": not regulated

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)

⁻ US -

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

(Contd. of page 7)

ACTIVE

ACTIVE

ACTIVE

• Section 313 (Specific toxic chemical listings): None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

88917-22-0 Dipropylene glycol monomethyl ether acetate 56-81-5 glycerol

7732-18-5 water, distilled, conductivity or of similar purity

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

· Hazard statements

Causes skin and eye irritation.

Precautionary statements
 Wash thoroughly after handling.

Wear protective gloves.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 9)

(Contd. of page 8)

us

Safety Data Sheet acc. to OSHA HCS

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: SOILAX AT

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Department issuing SDS: Environment protection department.

Contact: -

· Date of preparation / last revision 04/09/2019 / -

Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

** Data compared to the previous version altered.